

## adaptable DLP trunking 35 x 80 and 50 x 80 trunking and fittings








Selection chart (p. 825) Wiring capacity chart (p. 839)

Pack	Cat.Nos	Trunking
		Suitable for a wide range of requirements and applications: - Distribution: large wiring capacity and wide access to the wiring space - Installation: can be used with ranges: Mosaic, Arteor or Lexic
		Bodies $\downarrow$
	White	Supplied without cover Length 2 m
20	104 11(1)	9
20	104 12(1)	50 x 80 mm
		Flexible cover
20	105 21(1)	Fits onto the whole trunking including in internal or external angles Full cover width 65 mm Length 2 m
		Partitions
16	105 84(1)	Length 2 m Self-adhesive separation junction
24	105 82(1)	for 35 x 80 trunking Separationparti tion for 50 x 80 trunking
	400.04	Joints
20	106 91	Body joint, for aligning bases during installation
20	106 92	Body joint, attached with adhesive (fit at the end of installation)
10	108 01	Cover joint

	10	107 67	Flatangle 90° flat angle
	10	107 22	End cap  Left or right end cap
ı			Junctions
	5	107 35	Flat junction  For tap-off to an 80 mm wide branch
	5	107 63	Angled junction  For tap-off in an internal angle to 35 x 80, 35 x 105, 50 x 80 or 50 x 105 mm for trunking Cat.No 104 12 Used with an internal angle Cat.No 106 01 or 106 02
			Accessories
	50	106 81	Clip
	100	308 81	Base for clamp for trunking Cat.No 104 12

Pack Cat.Nos Angles and end caps (continued)

		Angles and end caps
		Internal and external bends Include the 2 components for the top and bottom of the trunking on which the flexible cover is fitted
10	106 01	Changeable internal bend, from 85° to 95° for 35 x 80 and 35 x 105 mm trunking
10	106 02	Changeable external bend, from 85° to 95° for 50 x 80/50 x 105/50 x 150 and 50 x 195 mm trunkings
10	106 21	Changeable external bend, from 60° to 120° for 35 x 80 and 35 x 105 mm trunking
10	106 22	Changeable external bend, 50 x 105 from 60° to 120° for 50 x 80/50 x 150/ and 50 x 195 mm trunkings



These products are part of solutions