


Schneider Electric

Cable Management Systems

Catalogue

Schneider
Electric

Installation trunking



Expertise solution in structured cabling

PKS Ultra

New design, more cabling routing capacity and compliance with RoHS directives.



Buildings



IT systems



Power distribution

Schneider
Electric

PKS Ultra, folio protected.....	4
PKS Ultra, Mini & Midi.....	12
Technical characteristics	20
45x45 module wiring devices.....	21
Overfloor trunking.....	22
Skirting cable trunking	24
PKS Optima, cable trunking.....	28
PKS Optima, self adhesive cable trunking	33
Climate trunking	34
PKS Line, slotted trunking	36

PKS Ultra



Folio protected

Installation trunking with 70 mm front opening for all types of wiring devices and with 45 mm front opening for direct click-in of 45x45 module wiring devices.

PKS Ultra installation trunking are made of lead and cadmium-free PVC with a 70 mm front opening. All Types of wiring devices can be installed by means of adaptors. The adaptors have several unique installation benefits. In addition PKS Ultra 80x50 size installation trunking for direct click-in of 45x45 module wiring devices.

The trunking are 50 mm deep, which giands a high cable capacity and space for cables behind the wiring devices. PKS Ultra is also very suitable as a feeder trunking.

One of the main advantages is the easy installation. The design is symmetrical and all accessories are click-in mounted without adaptations. Also the handling is easy. the trunking base and cover are packed together, but not assembled.

PVC cable trunking




Altira 45x45 module wiring devices

PKS Ultra range accepts Altira wiring devices. altira offers a broad range of socket outlets switches, VDI outlets and electronic products such as dimmers, movememnt detectors, thermostats and timers.


PKS wiring devices

PKS Ultra range can also accepts PKS range socket outlets and VDI outlets.




Installation trunking


151x50




101x50














101x34








80x50



						
	Trunking incl. separate front cover	Internal corner	External corner	Bend 90°	T piece	Stop end
Trunking size	Reference	Reference	Reference	Reference	Reference	Reference
80x50 	ETK80550	ETK80520	ETK80530	ETK80540	ETK80551	ETK80560
101x34 	ETK10134E	ETK10120E	ETK10130E	ETK10140E	ETK10151E	ETK100060E
101x50 	ETK10150E	ETK10120E	ETK10130E	ETK10140E	ETK10151E	ETK100060E
151x50 	ETK15150	ETK15120	ETK15130	ETK15140	ETK15153	ETK150060
151x50 	ETK151502*	ETK15120	ETK15130	ETK15140	ETK15153	ETK150060

* kapaksız olarak satılır.

				
Join cover piece	Cable holder	Divider	Seperator	Cover
Reference	Reference	Reference	Reference	Reference
ETK80570	ETK80571	ETK100092E		
ETK10170E	ETK10171E	ETK100095	-	-
ETK10170E	ETK10171E	ETK100092E	-	-
ETK15170	ETK15171	ETK100092E	-	-
ETK151702	ETK15171	ETK100092E	ETK151504	ETK151501 ETK151503 ETK151505

Installation trunking



Folio protected installation trunking.

Installation trunking with one compartment

Installation trunking including one-compartment trunking base and front cover. The trunking base has pre-punched mounting holes every 25th cm and can be provided with cable shelves. The 70 mm front opening allows wiring devices to be mounted by using adaptors and 45 mm front opening for direct click-in of 45x45 module wiring devices. Trunking base and front cover are supplied unassembled under separate protective foil, in lengths of 2 m. Material: PVC.

Type	Colour*	WxHxD (mm)	Reference
Installation trunking direct click-in	white	80x50x2000	ETK80550
Installation trunking	white	101x34x2000	ETK10134E
Installation trunking	white	101x50x2000	ETK10150E
Installation trunking	white	151x50x2000	ETK15150
Installation trunking*	white	151x50x2000	ETK151502

* without cover

Accessories



ETK10120E

Internal corner

Adjustable internal corner. Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
for 80x50	white		ETK80520
for 101x34 and 101x50	white		ETK10120E
for 151x50	white		ETK15120



ETK10130E

External corner

Adjustable external corner. Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
for 80x50	white		ETK80530
for 101x34 and 101x50	white		ETK10130E
for 151x50	white		ETK15130



ETK10140E

Bend 90°

Sistem kanalları için 90° dirsek. Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
for 80x50	white		ETK80540
for 101x34 and 101x50	white		ETK10140E
for 151x50	white		ETK15140

* white = RAL 9010.

Accessories



ETK10151E

T piece

T-piece intended to connect a vertical PVC trunking.
Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
for 80x50	white		ETK80551
for 101x34 and 101x50	white		ETK10151E
for 151x50	white		ETK15153



ETK100060E

Stop end

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
for 80x50	white		ETK80560
for 101x34 and 101x50	white		ETK100060E
for 151x50	white		ETK150060



ETK10170E

Joint cover piece, kit

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
for 80x50	white		ETK80570
for 101x34 and 101x50	white		ETK10170E
for 151x50	white		ETK15170



ETK10171E

Cable retainer

Cable retainer to be mounted at the back of the trunking base to keep cables in place during the installation phase.
Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
for 80x50	white		ETK80571
for 101x34 and 101x50	white		ETK10171E
for 151x50	white		ETK15171



ETK100095

Divider

Single cable shelf to be mounted in the trunking base, providing separation between power and low voltage cables.
Material: PVC

Type	Colour*	WxHxD (mm)	Reference
for 101x34	white		ETK100095
for 101x50 and 80 x50	white		ETK100092E
for 151x50	white		ETK100092E



ETK151504

Seperator

Seperator to be mounted on 151x50 trunking in order to provide assembling of wiring devices and providing separation between power and low voltage cables.
Material: PVC

Type	Colour*	WxHxD (mm)	Reference
for 151x50	white		ETK151504

* white = RAL 9010.

Accessories



ETK151505

Front cover

Front covers for 151x50 supplied with protective foil, in lengths of 2 m.
Material: PVC

Type	Colour*	WxHxD (mm)	Reference
40 mm	white		ETK151503
75 mm	white		ETK151505
120 mm	white		ETK151501

Adaptors for trunking to trunking

Adaptors to be used for assembling of different size trunking.
Material: PC/ABS



ETK15154

Type	Colour*	WxHxD (mm)	Reference
from 80x50 to 101x50	white		ETK80554
from 151x50 to 101x50	white		ETK15154
from 101x50 to 101x34	white		ETK10154E
from 101x34 to 74x21 & 60x21 & 40x17 & 32x17	white		ETK10195

Front locking clips

Front locking clips for 45x45 module wiring devices.
Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
for 80x50	white		ETK80580

* white = RAL 9010

Accessories adaptor for wiring devices

Adaptors for wiring devices

Material: PC/ABS



ETK10194



ETK10181



ETK10198



ETK10183

Type	Colour*	WxHxD (mm)	Reference
Universal top cover Flat Type for 80 x 80	white		ETK10194
Universal double top cover Flat Type for 80 x 80	white		ETK10186
Universal triple top cover Flat Type for 80 x 80	white		ETK10181
Universal top cover High Type for 80 x 80	white		ETK10191
Universal double top cover High Type for 80 x 80	white		ETK10196
Universal triple top cover High Type for 80 x 80	white		ETK10182
Top cover set for 45 x 45	white		ETK10198
Double top cover set for 45 x 45	white		ETK10197
Triple top cover set for 45 x 45	white		ETK10187
Quadruple top cover set for 45 x 45	white		ETK10183

* white = RAL 9010

PKS Ultra



Midi & Mini series

Installation trunking with side adaptors for all Types of wiring devices.

PKS Ultra installation trunking are made of lead and cadmium-free PVC. All Types of wiring devices can be installed by means of side adaptors. The trunking are 12, 17 and 21 mm deep, which gives you choices for your needs. PKS Ultra is also suitable as a feeder trunking. One of the main advantages is the easy installation. The design is symmetrical and all accessories are click-in mounted without adaptations. Also the handling is easy. The trunking base and cover are packed together, but not assembled.

PVC installation trunking




Altira 45x45 module wiring devices

PKS Ultra range accepts Altira wiring devices. Altira offers a broad range of socket outlets switches, VDI outlets and electronic products such as dimmers, movement detectors, thermostats and timers.




PKS wiring devices

PKS Ultra range can also accept PKS range socket outlets VDI outlets.




Installation trunking


74x21




60x21




40x17














32x17



21x12



						
Trunking size	Reference	Reference	Reference	Reference	Reference	Reference
21x12 	ETK21012	ETK20520	ETK20530	ETK20540	ETK20550	ETK20560
32x17 	ETK32017	ETK32020	ETK32030	ETK32040	ETK32050	ETK32060
40x17 	ETK40017	ETK40020	ETK40030	ETK40040	ETK40050	ETK40060
60x21 	ETK60021	ETK60020	ETK60030	ETK60040	ETK60050	ETK60060
74x21 	ETK74021	ETK74020	ETK74030	ETK74040	ETK74050	ETK74060



Join cover piece



Cable holder

Reference

Reference

ETK20570

ETK20571

ETK32070

ETK32071

ETK40070

ETK40071

ETK60070

ETK60071

ETK74070

ETK74071

Installation trunking

Installation trunking

Installation trunking including trunking base and front cover. The trunking base has punched mounting holes every 25th cm. Trunking base and front cover are supplied unassembled, in lengths of 2m. Material: PVC



Type	Colour*	WxHxD (mm)	Reference
Installation trunking	white	21x12x2000	ETK21012
Installation trunking self adhesive	white	21x12x2000	ETK21912
Installation trunking	white	31x17x2000	ETK32017
Installation trunking self adhesive	white	31x17x2000	ETK32917
Installation trunking	white	40x17x2000	ETK40017
Installation trunking	white	60x21x2000	ETK60021
Installation trunking	white	74x21x2000	ETK74021

Accessories

Internal corner

Adjustable internal corner. Material: PC/ABS



Type	Colour*	WxHxD (mm)	Reference
21x12	white		ETK20520
32x17	white		ETK32020
40x17	white		ETK40020
60x21	white		ETK60020
74x21	white		ETK74020

External corner

Adjustable external corner. Material: PC/ABS



Type	Colour*	WxHxD (mm)	Reference
21x12	white		ETK20530
32x17	white		ETK32030
40x17	white		ETK40030
60x21	white		ETK60030
74x21	white		ETK74030

* white = RAL 9010

Accessories



ETK74040

Bend, 90°

90 degree bend for angling upwards and downwards of PVC trunking.
Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
21x12	white		ETK20540
32x17	white		ETK32040
40x17	white		ETK40040
60x21	white		ETK60040
74x21	white		ETK74040



ETK74050

T-piece

T-piece intended to connect a vertical PVC trunking.
Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
21x12	white		ETK20550
32x17	white		ETK32050
40x17	white		ETK40050
60x21	white		ETK60050
74x21	white		ETK74050



ETK74060

Stop end

Stop end for PVC trunking. Fast fitting with locking clips.
Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
21x12	white		ETK20560
32x17	white		ETK32060
40x17	white		ETK40060
60x21	white		ETK60060
74x21	white		ETK74060



ETK74070

Joint cover piece, kit

Joint cover piece, supplied and mounted together with two jointing pieces. Intended to cover joints between two PVC trunking sections. Easy to remove in case of an upgrading of the installation.
Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
21x12	white		ETK20570
32x17	white		ETK32070
40x17	white		ETK40070
60x21	white		ETK60070
74x21	white		ETK74070

* white = RAL 9010

Accessories

Cable retainer

Cable retainer to be mounted at the back of the trunking base to keep cables in place during the installation phase.

Material: PC/ABS



ETK74071

Type	Colour*	WxHxD (mm)	Reference
21x12	white		ETK20571
32x17	white		ETK32071
40x17	white		ETK40071
60x21	white		ETK60071
74x21	white		ETK74071

Adaptors for trunking to trunking

Adaptors to be used for assembling of different size trunking.

Material: PC/ABS



ETK74032

Type	Colour*	WxHxD (mm)	Reference
From 21x12 to 60x21	white		ETK60022
From 21x12 to 74x21	white		ETK74022
From 32x17 to 60x21	white		ETK60032
From 32x17 to 74x21	white		ETK74032
From 101x50 to 101x34	white		ETK10154
From 40x17 to 60x21	white		ETK60041
From 40x17 to 74x21	white		ETK74041
32x17, 40x17, 60x21 and 74x21... 101x34 and 101x50	white		ETK10195

* white = RAL 9010

Accessories adaptor for wiring devices

Adaptors for wiring devices

Material: PC/ABS



ETK20580



ETK20680

Type	Colour*	WxHxD (mm)	Reference
Universal side set for 80x80	white		ETK20580
Universal double side set for 80x80	white		ETK20596
Side set for 45x45	white		ETK20598
Double side set for 45x45	white		ETK20680
Triple side set for 45x45	white		ETK20597

* white = RAL 9010

Technical characteristics

Characteristics

- > 21 to 151 mm width, 12-50 m depth 10 different size trunking
- > degree of protection: IP40
- > colour: white RAL9010
- > standards and certifications
 - the products comply with TSE and VDE standards
 - CE marking
 - RoHS directives
- > temperature rate: operating temprature from -25°C to + 60°C
- > self-extinguishing lead and cadmium free PVC (UL94, VO MI)
- > protection from mechanical shocks
- > ultraviolet radiations resistance

Features

- > economical and adaptable
- > paintable
- > clip on fittings
- > accepts all types of wiring devices.

Pin-earthed socket outlets Altira range 45x45 module

16A, 250V AC, 2P+E



ALB45224

Type	Reference	Quantity per pack
Single, red	ALB45214	10
Double, red	ALB45224	10
Triple	ALB45234	10

Side-earthed socket outlets Altira range 45x45 module

16A, 250V AC, 2P+E (Schuko type)



ALB45282

Type	Reference	Quantity per pack
Single, white	ALB45282	10
Double, white	ALB45252	10
Triple, white	ALB45262	10
Single, red	ALB45283	10
Double, red	ALB45254	10
Triple, red	ALB45264	10

PKS range 45x45 module sockets - Side earthed

16A, 250V AC, 2P+E



ETK21046

Type	Reference	Quantity per pack
Single	ETK21046E	10

PKS range 45x45 module sockets - Side earthed

16A, 250V AC, 2P+E



ETK21045

Type	Reference	Quantity per pack
Single	ETK21045E	10

Data & Telephone sockets



ETK45045

Type	Reference	Quantity per pack
45x45 keystone bracket with shutter 1 port	ETK45045	10
22.5x45 keystone bracket with shutter 1 port	ETK45022	10
22.5x45 keystone bracket blind cover	ETK45122	10
Cat3 UTP tooless keystone jack	ETK45041	10
Cat6 UTP tooless keystone jack	ETK45141	10
Cat5e UTP tooless keystone jack	ETK45140	10

PKS Optima



Overfloor trunking

Cable trunking for overfloor application

Overfloor trunking allows for the segregation of power and low voltage cables.

Overfloor trunking are made of PVC.





PVC cable trunking



PKS overfloor trunking.

Dimensions

Overfloor cable trunking



Overfloor trunking




PKS Optima overfloor trunking.

Overfloor trunking

Included cover, three and four compartments trunking. Trunking base and cover are supplied unassembled, in 2 m of lengths.

Type	Colour*	WxHxD (mm)	Reference
Overfloor trunking	grey	50x12x2000	ETK50012
Overfloor trunking	grey	77x19x2000	ETK77019

Accessories



ETK77040

ETK77050

Bend


90° bend for overfloor trunking
Material: PC/ABS.

Type	Colour*	WxHxD (mm)	Reference
For 77x19	grey		ETK77040

T piece

T piece for overfloor trunking.
Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 77x19	grey		ETK77050



ETK77060

ETK77070

Stop end

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 77x19	grey		ETK77060

Joint cover piece, kit

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 77x19	grey		ETK77070

Accessories adaptor for wiring devices



ETK77080

ETK77092

ETK77090

Adaptors for sockets

Adaptors for power and low voltage socket outlets.
Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
Socket box	-		ETK77080
Block	white		ETK77092
Distribution box	grey		ETK77090

* white = RAL 9010
grey = RAL 7023

PKS Optima

Skirting trunking


Skirting trunkings is made of PVC.
For the separation of power and low voltages cable aesthetically.




PVC skirting trunking



PKS Optima skirting trunking




PKS Optima skirting trunking



Dimensions

Skirting cable trunking



Skirting trunking



Skirting trunking

Skirting trunking

Skirting trunking with cover and three compartment. Trunking base and cover are supplied assembled in lengths of 2 m. Material PVC.

Type	Colour*	WxHxD (mm)	Reference
50x16	white	50x16x2000	ETK50216
70x20	white	70x20x2000	ETK70221
70x20 hal ge meli	white	70x20x2000	ETK70222

Accessories



ETK70220

Internal corner

Adjustable internal corner. Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 70x20	white		ETK70220



ETK70230

External corner

Adjustable external corner. Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 70x20	white		ETK70230



ETK70261 ETK70262

Stop end-right

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 50x16	white		ETK50261
For 70x20	white		ETK70261

Stop end-left

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 50x16	white		ETK50262
For 70x20	white		ETK70262



ETK70270

Joint cover piece

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 70x20	white		ETK70270

* white = RAL 9010

Accessories for wiring devices

Adaptors for socket outlets

Material: PC/ABS



ETK50280



ETK50298



ETK50297

Type	Colour*	WxHxD (mm)	Reference
For 50x16 universal side set 80x80 module	white		ETK50280
For 70 x 20 universal side set 80x80 module	white		ETK70280
For 50x16 universal double side 80x80 module	white		ETK50296
For 70x20 universal double side 70x20 module	white		ETK70296
For 50x16 side set 45x45 module	white		ETK50298
For 70x20 side set 45x45 module	white		ETK70298
For 50x16 double side set 45x45 module	white		ETK50295
For 70x20 double side set 45x45 module	white		ETK70295
For 50x16 triple side set 45x45 module	white		ETK50297
For 70x20 triple side set 45x45 module	white		ETK70297

* white = RAL 9010



PKS Optima



Cable trunking

Trunking for cable routing

PKS Optima Cable trunking are made of lead and cadmium-free PVC.


Cable trunking with 27 different sizes are used distribution of power of low power cables.

All accessories are click-on mounted without adaptations.

PVC Cable trunking



PKS Optima Cable trunking




PKS Optima self-adhesive cable trunking




PKS Optima Cable trunking

PKS Optima Cable trunking


12mm width cable trunking




60mm width cable trunking




16mm width cable trunking




80mm width cable trunking




20mm width cable trunking




100mm width cable trunking




25mm width cable trunking




110mm width cable trunking



40mm width cable trunking



120mm width cable trunking



Cable trunking

Cable trunking

Cable trunking including trunking base and cover. The trunking base has punched mounting holes every 25th cm.

Trunking base and cover supplied in lengths 2 m.

Material PVC.



Cable trunking.

Type	Colour*	WxHxD (mm)	Reference
7x5 without cover	white	7x5x2000	ETK7305
15x10	white	15x10x2000	ETK15310
16x16	white	16x16x2000	ETK16316
20x10	white	20x10x2000	ETK20310
25x16	white	25x16x2000	ETK25316
25x25	white	25x25x2000	ETK25325
25x40	white	25x40x2000	ETK25340
30x10	white	30x10x2000	ETK30310
30x15	white	30x15x2000	ETK30315
30x20	white	30x20x2000	ETK30320
30x30	white	30x30x2000	ETK30330
40x16	white	40x16x2000	ETK40316
40x25	white	40x25x2000	ETK40325
40x40	white	40x40x2000	ETK40340
40x60	white	40x60x2000	ETK40360
60x25	white	60x25x2000	ETK60325
60x40	white	60x40x2000	ETK60340
60x60	white	60x60x2000	ETK60360
80x40	white	80x40x2000	ETK80340
80x60	white	80x60x2000	ETK80360
80x80	white	80x80x2000	ETK80380
100x40	white	100x40x2000	ETK10340
100x60	white	100x60x2000	ETK10360
110x60	white	110x60x2000	ETK110360
120x60	white	120x60x2000	ETK12360

* white = RAL 9010

Accessories



ETK60320

Internal corner

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 16x16 i in	white		ETK16320
For 25x16 and 25x25	white		ETK25320
For 40x16, 40x25 and 40x40	white		ETK40320
For 60x25, 60x40 and 60x60	white		ETK60320



ETK60330

External corner

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 16x16	white		ETK16330
For 25x16 and 25x25	white		ETK25330
For 40x16, 40x25 and 40x40	white		ETK40330
For 60x25, 60x40 and 60x60	white		ETK60330



ETK60341

Bend 90°

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 16x16	white		ETK16340
For 25x16 and 25x25	white		ETK25341
For 40x16, 40x25 and 40x40	white		ETK40341
For 60x25, 60x40 and 60x60	white		ETK60341



ETK60350

T piece

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 16x16	white		ETK16350
For 25x16 and 25x25	white		ETK25350
For 40x16, 40x25 and 40x40	white		ETK40350
For 60x25, 60x40 and 60x60	white		ETK60350

* white = RAL 9010

Accessories



ETK60361

Stop end

Material: PC/ABS and PVC

Type	Colour*	WxHxD (mm)	Reference
For 16x16	white		ETK16361
For 25x16 and 25x25	white		ETK25361
For 40x16, 40x25 and 40x40	white		ETK40361
For 60x25, 60x40 and 60x60	white		ETK60361



ETK60370

Joint cover piece

Material: PC/ABS and PVC

Type	Colour*	WxHxD (mm)	Reference
For 16x16	white		ETK16370
For 25x16 and 25x25	white		ETK25370
For 40x16, 40x25 and 40x40	white		ETK40370
For 60x25, 60x40 and 60x60	white		ETK60370



ETK110371

Cable holder


Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 100x60	white		ETK110371

Self adhesive cable trunking

Self adhesive cable trunking

Self-adhesive cable trunking including trunking base and cover. Trunking base and cover supplied in lengths 2 m.
Material PVC.



Self-adhesive cable trunking.

Type	Colour*	WxHxD (mm)	Reference
7x5 without cover	white	7x5x2000	ETK7905
12x12	white	12x12x2000	ETK12912
15x10	white	15x10x2000	ETK15910
16x16	white	16x16x2000	ETK16916
20x10	white	20x10x2000	ETK20910
25x16	white	25x16x2000	ETK25916
25x25	white	25x25x2000	ETK25925

* white = RAL 9010

PKS iklim



Climate duct systems

Duct systems for climate

PKS iklim range, is made of PVC, is used for routing of pipes and power cables easily.

Climate duct systems





PKS iklim climate duct systems.



Dimensions

Climate duct systems



Climate duct systems



Climate duct systems.

Climate duct systems

Climate duct system including trunking base and cover and are supplied in lengths 2 m.
Material PVC.

Type	Colour*	WxHxD (mm)	Reference
65x48	white	65x48x2000	ETK65048
90x65	white	90x65x2000	ETK90065

Accessories



ETK90020



ETK90030



ETK90040



ETK90060



ETK90070



ETK90071



ETK90080



ETK90090

Internal corner

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 65x48	white		ETK65020
For 90x65	white		ETK90020

External corner

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 65x48	white		ETK65030
For 90x65	white		ETK90030

Bend 90°

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 65x48	white		ETK65040
For 90x65	white		ETK90040

Stop end

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 65x48	white		ETK65060
For 90x65	white		ETK90060

Junction piece

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 65x48	white		ETK65070
For 90x65	white		ETK90070

Cable and pipe holder

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 65x48	white		ETK65071
For 90x65	white		ETK90071

Wall duct

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 65x48	white		ETK65080
For 90x65	white		ETK90080

Wall bend

Material: PC/ABS

Type	Colour*	WxHxD (mm)	Reference
For 65x48	white		ETK65090
For 90x65	white		ETK90090

* white = RAL 9010


PKS Line




Slotted trunking

Slotted trunking for electrical switchboards

PKS Line slotted trunking is made of PVC, and power and low power cables easily can be distributed in the switchboard.




Pre-perforated easy-break strips.



Perfect T assembly




Specially designed trunking base cover locking system for maximum cable housing and durability against impact.



Easy assembly in the panel by means of specially designed screw holes.

PVC slotted trunking


The white strip on the cover can be used for marking.




PKS Line slotted trunking

PKS Line slotted trunking


25x25 slotted trunking




25x40 slotted trunking




25x60 slotted trunking




40x40 slotted trunking




40x60 slotted trunking




40x80 slotted trunking




60x80 slotted trunking




80x80 slotted trunking



100x40 slotted trunking



Slotted trunking



slotted trunking

Slotted trunking - Blue

Slotted trunking including base trunking and cover are supplied un-assembled, in lengths 2 m.
Material PVC.

Type	Colour*	WxHxD (mm)	Reference
25x25	blue	25x25x2000	ETK25025
25x40	blue	25x40x2000	ETK25040
25x60	blue	25x60x2000	ETK25060
40x40	blue	40x40x2000	ETK40042
40x60	blue	40x60x2000	ETK40062
40x80	blue	40x80x2000	ETK40080
60x40	blue	60x40x2000	ETK60042
60x62	blue	60x62x2000	ETK60062
60x80	blue	60x80x2000	ETK60080
80x40	blue	80x40x2000	ETK80040
80x60	blue	80x60x2000	ETK80060
80x80	blue	80x80x2000	ETK80080
100x40	blue	100x40x2000	ETK10042
100x60	blue	100x60x2000	ETK10060
120x60	blue	120x60x2000	ETK12060

Slotted trunking - Grey

Slotted trunking including base trunking and cover are supplied un-assembled, in lengths 2 m.
Material PVC.

Type	Colour*	WxHxD (mm)	Reference
25x25	grey	25x25x2000	ETK25125
25x40	grey	25x40x2000	ETK25140
25x60	grey	25x60x2000	ETK25160
40x40	grey	40x40x2000	ETK40142
40x60	grey	40x60x2000	ETK40162
40x80	grey	40x80x2000	ETK40180
60x40	grey	60x40x2000	ETK60142
60x62	grey	60x62x2000	ETK60162
60x80	grey	60x80x2000	ETK60180
80x40	grey	80x40x2000	ETK80140
80x60	grey	80x60x2000	ETK80160
80x80	grey	80x80x2000	ETK80180
100x40	grey	100x40x2000	ETK10142
100x60	grey	100x60x2000	ETK10160
120x60	grey	120x60x2000	ETK12160

* blue = RAL 5013
grey = RAL 7023

Slotted trunking



ETK10242

Slotted trunking - White

Slotted trunking including base trunking and cover are supplied un-assembled, in lengths 2 m.
Material PVC.

Type	Colour*	WxHxD (mm)	Reference
25x25	white	25x25x2000	ETK25225
25x40	white	25x40x2000	ETK25240
25x60	white	25x60x2000	ETK25260
40x40	white	40x40x2000	ETK40242
40x60	white	40x60x2000	ETK40262
40x80	white	40x80x2000	ETK40280
60x40	white	60x40x2000	ETK60242
60x62	white	60x62x2000	ETK60262
60x80	white	60x80x2000	ETK60280
80x40	white	80x40x2000	ETK80240
80x60	white	80x60x2000	ETK80260
80x80	white	80x80x2000	ETK80280
100x40	white	100x40x2000	ETK10242
100x60	white	100x60x2000	ETK10260
120x60	white	120x60x2000	ETK12260

* white = RAL 9010

Schneider Elektrik Sanayi ve Ticaret A. Ő.

1. Bayraktar Sokak, Ayyıldız Plaza, No:16/B
34750 - Kibikkalkıy, Ataehir - İstanbul
Tel: 0216 655 88 88
Faks: 0216 655 87 87

www.schneider-electric.com.tr

Schneider Elektrik Müşteri Destek Merkezi

Tel: 444 30 30
Faks: 0216 655 88 29

e-posta: TR-Hotline@schneider-electric.com